

Page 18, Paragraph 1

B2 Moreover, although the description has been made of the liquid crystal display device as an example, the present invention can also be applied to an organic EL (electroluminescence) display device or an EC (electrochromic) display device as long as the device is an active matrix type display device.

IN THE CLAIMS:

Please amend claim 18, 31 and 32 as follows:

B3 18. (Amended) A method of manufacturing a semiconductor device according to any one of claims 1-12, wherein said semiconductor device is at least one selected from the group consisting of a personal computer, a video camera, a mobile computer, a player using a recording medium, a goggle-type display, a digital camera, and a projector.

B4 31. (Amended) A method of manufacturing a semiconductor device according to claim 19, wherein said semiconductor device is at least one selected from the group consisting of a personal computer, a video camera, a mobile computer, a player using a recording medium, a goggle-type display, a digital camera, and a projector.

32. (Amended) A method of manufacturing a semiconductor device according to claim 20, wherein said semiconductor device is at least one selected from the group consisting of a personal computer, a video camera, a mobile computer, a player using a recording medium, a goggle-type display, a digital camera, and a projector.

Please add new claims 33-46 as follows.

--33. (New) A method of manufacturing a semiconductor device according to claim 1, wherein said semiconductor device is an organic electroluminescence display device.

B5 34. (New) A method of manufacturing a semiconductor device according to claim 2, wherein said semiconductor device is an organic electroluminescence display device.

35. (New) A method of manufacturing a semiconductor device according to claim 3, wherein said semiconductor device is an organic electroluminescence display device.

36. (New) A method of manufacturing a semiconductor device according to claim 4, wherein said semiconductor device is an organic electroluminescence display device.

37. (New) A method of manufacturing a semiconductor device according to claim 5, wherein said semiconductor device is an organic electroluminescence display device.

38. (New) A method of manufacturing a semiconductor device according to claim 6, wherein said semiconductor device is an organic electroluminescence display device.

39. (New) A method of manufacturing a semiconductor device according to claim 7, wherein said semiconductor device is an organic electroluminescence display device.

B5  
cont  
40. (New) A method of manufacturing a semiconductor device according to claim 8, wherein said semiconductor device is an organic electroluminescence display device.

41. (New) A method of manufacturing a semiconductor device according to claim 9, wherein said semiconductor device is an organic electroluminescence display device.

42. (New) A method of manufacturing a semiconductor device according to claim 10, wherein said semiconductor device is an organic electroluminescence display device.

43. (New) A method of manufacturing a semiconductor device according to claim 11, wherein said semiconductor device is an organic electroluminescence display device.

44. (New) A method of manufacturing a semiconductor device according to claim 12, wherein said semiconductor device is an organic electroluminescence display device.

*B5*  
*concl*  
45. (New) A method of manufacturing a semiconductor device according to claim 19,  
wherein said semiconductor device is an organic electroluminescence display device.

46. (New) A method of manufacturing a semiconductor device according to claim 20,  
wherein said semiconductor device is an organic electroluminescence display device.--

---